


FIG 1



(Figure 2 Page 1 of 2)

FIG 2A

A thru E to FIG 2B




FIG 2B





FIG 3



The same emission reduction, with its geo-referenced location data encrypted to protect the producer's privacy:




FIG 4




FIG 5A





FIG 5B






FIG 6





FIG 7



****10,000 Metric Tons CO₂e****

Created Pursuant to Protocol #AWMS-1a

Serial Numbers:

From: MAH01-2002-7F123-C7453-0000001
To: MAH01-2002-7F123-C7453-0005001
From: MAH01-2002-4C345-D7312-0000001
To: MAH01-2002-4C345-D7312-0002001
From: MAH01-2002-1F500-BC421-0000001
To: MAH01-2002-1F500-BC421-0003001

***** CERTIFICATE *****

Ten Thousand Metric Tons
Carbon Dioxide Equivalent Emission Reduction



For the benefit of _____

CO₂e Source(s):

Methane & Nitrous Oxide Avoidance

AgCert International LLC

Alan Tank
CEO
July 15, 2003

----- Transfer Restrictions on Reverse Side of Certificate -----

Unique Serial Numbers – includes embedded data fields making it possible to track emission reductions back to the source site & to the protocol used. By entering these serial numbers into the system 100 it is also possible to link – or cross reference - to a wide range of associated data associated, including permit compliance status, imagery, etc. to facilitate 3rd party verification, data mining, etc.

These exemplary serial numbers show encryption of the geographic reference field.

FIG 9




FIG 10




FIG 11




FIG 12




FIG 13